

Bfresh Sonyo Cold Chain Creating a Fresh Life



Supermarket Showcase General Catalogue



Sonyo Cold Chain(Dalian) Co.,Ltd.

Sonyo Cold Chain (Dalian) Co.,Ltd. (Hereafter Sonyo Cold Chain) was established in 1994 and of who has passed through brands from SANYO 、Panasonic to Bingshan in last 30 years. With the infusion of the brands value from mentioned brands, Sonyo Cold Chain has become a leader in the light commercial refrigeration equipment industry. In the year of 2023, Sonyo Cold Chain unveiled a new brand——Bfresh, of which has conveyed more clearly of the our management idea“Create Fresh Life”.




As a large-scale manufacturing enterprise integrating R&D, Production, Sales and Service· Engineering, Sonyo Cold Chain devoted itself and provided all-round solution to Supermarket, CVS, Commercial Kitchen, Beverage and Smart Retailing fields. We have established 2 production bases in both Dalian and Wuhan and has covered business in China, Japan,Southeast Asia and Australia.

With the goal of approaching carbon peaking and carbon neutrality, Sonyo Cold Chain focused on Smart coldchain business and targeted to create a more clear and intensive society by advanced smart and energy conservation solution.

COMPANY PROFILE

Registered capital	RMB 1 billion
Date of establishment	January 1994
Site area	161,000 sq.m
2 factories located in Dalian	1 factory located in Wuhan
Employee	1100

Organization



Provide full process cold chain equipment and comprehensive solutions for China, Japan, Southeast Asia, Oceania, Europe, and other regions

30 years

Industry Experience

6

Marketing Centers

7

R & D Teams

5.4 thousand

Clients have been served

75 thousand

Collaborated Stores

2.4 million units

Accumulated Sales Units

BRAND INTERPRETATION

1994~2013

SANYO

Sonyo Cold Chain

2024

Bfresh

Sonyo Cold Chain

DEVELOPMENT HISTORY

1994

Dalian Sanyo Cold Chain Co., Ltd. Established

1997

The first in this industry in China to pass the ISO9002 quality management system certification

1999

R&D Center established The independent design capability has reached a new level

2003

Merged with the original Dalian Sanyo Catering Equipment to form (new) Dalian Sanyo Cold Chain Co., Ltd

2005

Take the lead in introducing Cyclopentane foaming equipment in the same industry nationwide to realize environmental friendly production

2007

Liaoning Province Enterprise Postdoctoral Research Base established

2008

The 3rd factory established and put into operation

2010

The 4th factory established and put into operation

2020

Establish a new retail business center to explore new business models

2021

Wuhan factory established Recognized as a national level green plant by the Ministry of Industry and Information Technology of China

2023

The company was renamed Sonyo Cold Chain (Dalian) Co., Ltd

Product catalogue

Product Advantages Introduction


Product Features	1
------------------	---

Product Series



SF Series

2



FAM-BD Series

27



FAM-IE Series

36



Island freezer series


43



V series

45


Product Features



Genuine Double Air Curtain

Double Air Curtain Advantage

- Reduce the spillover of cool air reduce the cold feeling when the customers are in front of the showcase;
- The double air curtain achieves 15% more energy saving than a single-layer air curtain;
- Improve the stability of temperature, keep the temperature of food better;
- Better work environment for clerk, convenient restocking.



Sonyo double air curtain



Thermal imaging diagram of double air curtain

Environment Condition Setting

27°C 70% R.H.

- thicker foam, higher density, reduce cooling leakage;
- under the same environment condition, better anti-condensation integrated foaming design.

Integrated Foaming Design

Sonyo product use special integrated foaming mold, bottom foaming use corresponding mold according different showcases, temperature, sizes, reduce joint, avoid cooling leak.



Evaporator With Long-short Fins Design

Evaporator with Long-short fins design, improve the bad frost and easy ice barrier on the side exposed to the air, also improve the frost unevenly of the evaporator. Increase the heat transfer efficiency.



Daily <Fresh> Dairy product Drinks

- ◎ Air curtain : double air curtain, 15% energy saving than single air curtain
- ◎ Appearance : thin and simple appearance, highlight goods display
- ◎ Controller : microcomputer digital controller, more precise temperature control
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Lighting : energy saving LED as standard configuration
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Adjustable shelves : different sizes goods can be displayed sufficiently
- ◎ Refrigerant : R22、R404A、R744、R407F



90° Outer corner

90° Inner corner

135° Outer corner

135° Inner corner

【CPW-SF Multi-deck showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height Depth Handrail Height	2000mm	CPW-SF0863(E)	1875×880×2000	3~7
	880mm	CPW-SF0883(E)	2500×880×2000	3~7
	350mm	CPW-SF0823(E)	3750×880×2000	3~7
common side panel	coated trims	MER-SF83L/R-A	— —	— —
	stainless-steel trims	MER-SF83L/R-S	— —	— —
mirror side panel	coated trims	ME-SF83L/R-A	— —	— —
	stainless-steel trims	ME-SF83L/R-S	— —	— —

Height Depth Handrail Height	2000mm 880mm 450mm	CPW-SF0864(E)	1875×880×2000	3~7
		CPW-SF0884(E)	2500×880×2000	3~7
		CPW-SF0824(E)	3750×880×2000	3~7
		CPW-SF84LO(E)	90°Outer corner	5~10
		CPW-SF84LI(E)	90°Inner corner	3~7
		CPW-SF84VO(E)	135°Outer corner	5~10
		CPW-SF84VI(E)	135°Inner corner	3~7
common side panel	coated trims	MER-SF84L/R-A	— —	— —
	stainless-steel trims	MER-SF84L/R-S	— —	— —
mirror side panel	coated trims	ME-SF84L/R-A	— —	— —
	stainless-steel trims	ME-SF84L/R-S	— —	— —

Height Depth Handrail Height	2200mm 880mm 450mm	CPW-SF2864(E)	1875×880×2200	3~7
		CPW-SF2884(E)	2500×880×2200	3~7
		CPW-SF2824(E)	3750×880×2200	3~7
common side panel	coated trims	MER-SF284L/R-A	— —	— —
mirror side panel	coated trims	ME-SF284L/R-A	— —	— —



【CPW-SF Multi-deck showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 2000mm Depth 1080mm Handrail Height 350mm		CPW-SF063(E)	1875×1080×2000	3~7
		CPW-SF083(E)	2500×1080×2000	3~7
		CPW-SF023(E)	3750×1080×2000	3~7
		CPW-SF03U(E)	2368×1090×2000	3~7
luxury side panel	— —	MER-SF03AL/R	— —	— —
common side panel	coated trims	MER-SF03L/R-A	— —	— —
	stainless-steel trims	MER-SF03L/R-S	— —	— —
mirror side panel	coated trims	ME-SF03L/R-A	— —	— —

Height 2000mm Depth 1080mm Handrail Height 450mm		CPW-SF064(E)	1875×1080×2000	3~7
		CPW-SF084(E)	2500×1080×2000	3~7
		CPW-SF024(E)	3750×1080×2000	3~7
		CPW-SF04U(E)	2368×1090×2000	3~7
		CPW-SF04LO(E)	90°Outer corner	5~10
		CPW-SF04LI(E)	90°Inner corner	3~7
		CPW-SF04VO(E)	135°Outer corner	5~10
		CPW-SF04VI(E)	135°Inner corner	3~7
luxury side panel	— —	MER-SF04AL/R	— —	— —
common side panel	coated trims	MER-SF04L/R-A	— —	— —
	stainless-steel trims	MER-SF04L/R-S	— —	— —
mirror side panel	coated trims	ME-SF04L/R-A	— —	— —

Height 2000mm Depth 1080mm Handrail Height 550mm		CPW-SF065(E)	1875×1080×2000	3~7
		CPW-SF085(E)	2500×1080×2000	3~7
		CPW-SF025(E)	3750×1080×2000	3~7
		CPW-SF05U(E)	2368×1090×2000	3~7
luxury side panel	— —	MER-SF05AL/R	— —	— —
common side panel	coated trims	MER-SF05L/R-A	— —	— —
	stainless-steel trims	MER-SF05L/R-S	— —	— —
mirror side panel	coated trims	ME-SF05L/R-A	— —	— —

Height 2000mm Depth 1080mm Handrail Height 450mm		CPW-SF2064(E)	1875×1080×2200	3~7
		CPW-SF2084(E)	2500×1080×2200	3~7
		CPW-SF2024(E)	3750×1080×2200	3~7
		CPW-SF204U(E)	2368×1090×2200	3~7
luxury side panel	— —	MER-SF204AL/R	— —	— —
common side panel	coated trims	MER-SF204L/R-A	— —	— —
	stainless-steel trims	MER-SF204L/R-S	— —	— —
mirror side panel	coated trims	ME-SF204L/R-A	— —	— —


FPW-SF Multi-deck showcase

Meat 、 Fish




- Air curtain : double air curtain, 15% energy saving than single air curtain
- Evaporator : high heat transfer efficiency design, improve the frost unevenly, reduce the defrost time
- Appearance : thin and simple appearance, highlight goods display
- Controller : microcomputer digital controller, more precise temperature control
- Bottom foam : process by professional mold, integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard configuration
- Adjustable shelves : different sizes goods can be displayed sufficiently
- Refrigerant : R22、R404A、R744、R407F


FPW-SF0863 series




FPW-SF0864 series




FPW-SF063 series




FPW-SF064 series



FPW-SF065 series



FPW-SF2064 series



FRIGOESPACIOS®



【FPW-SF Multi-deck showcase】





Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height Depth Handrail Height	2000mm	FPW-SF0863(E)	1875×880×2000	0~4
	880mm	FPW-SF0883(E)	2500×880×2000	0~4
	350mm	FPW-SF0823(E)	3750×880×2000	0~4
common side panel	coated trims	MER-SF83L/R-A	--	--
	stainless-steel trims	MER-SF83L/R-S	--	--
mirror side panel	coated trims	ME-SF83L/R-A	--	--
Height Depth Handrail Height	2000mm	FPW-SF0864(E)	1875×880×2000	-2~2
	880mm	FPW-SF0884(E)	2500×880×2000	-2~2
	450mm	FPW-SF0824(E)	3750×880×2000	-2~2
common side panel	coated trims	MER-SF84L/R-A	--	--
	stainless-steel trims	MER-SF84L/R-S	--	--
mirror side panel	coated trims	ME-SF84L/R-A	--	--
Height Depth Handrail Height	2000mm	FPW-SF063(E)	1875×1080×2000	0~4
	1080mm	FPW-SF083(E)	2500×1080×2000	0~4
	350mm	FPW-SF023(E)	3750×1080×2000	0~4
		FPW-SF03U(E)	2368×1080×2000	0~4
luxury side panel	--	MER-SF03AL/R	--	--
common side panel	coated trims	MER-SF03L/R-A	--	--
	stainless-steel trims	MER-SF03L/R-S	--	--
mirror side panel	coated trims	ME-SF03L/R-A	--	--
Height Depth Handrail Height	2000mm	FPW-SF064(E)	1875×1080×2000	-2~2
	1080mm	FPW-SF084(E)	2500×1080×2000	-2~2
	450mm	FPW-SF024(E)	3750×1080×2000	-2~2
		FPW-SF04U(E)	2368×1080×2000	-2~2
luxury side panel	--	MER-SF04AL/R	--	--
common side panel	coated trims	MER-SF04L/R-A	--	--
	stainless-steel trims	MER-SF04L/R-S	--	--
mirror side panel	coated trims	ME-SF04L/R-A	--	--
Height Depth Handrail Height	2000mm	FPW-SF065(E)	1875×1080×2000	-2~2
	1080mm	FPW-SF085(E)	2500×1080×2000	-2~2
	550mm	FPW-SF025(E)	3750×1080×2000	-2~2
		FPW-SF05U(E)	2368×1080×2000	-2~2
luxury side panel	--	MER-SF05AL/R	--	--
common side panel	coated trims	MER-SF05L/R-A	--	--
	stainless-steel trims	MER-SF05L/R-S	--	--
mirror side panel	coated trims	ME-SF05L/R-A	--	--
Height Depth Handrail Height	2000mm	FPW-SF2064(E)	1875×1080×2000	0~4
	1080mm	FPW-SF2084(E)	2500×1080×2000	0~4
	450mm	FPW-SF2024(E)	3750×1080×2000	0~4
		FPW-SF204U(E)	2368×1080×2000	0~4
luxury side panel	--	MER-SF204AL/R	--	--
common side panel	coated trims	MER-SF204L/R-A	--	--
	stainless-steel trims	MER-SF204L/R-S	--	--
mirror side panel	coated trims	ME-SF204L/R-A	--	--



CPW/FPW-SF Multi-deck swing door showcase

Daily <Fresh> , Dairy product , Drinks \ Meat , Fish

- ◎ Additional door design, low energy consumption, 30% energy saving
- ◎ Door : hollow tempered glass, CPW with LOW-E film; FPW with electric heating film
- ◎ Hover function with door brake, make shopping and replenishment conveniently
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Adjustable shelves : different sizes goods can be displayed sufficiently
- ◎ Refrigerant : R22、R404A、R744、R407F



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height	2000mm	CPW-SF0864PD(E)	1875×880×2000	3~7
Depth	880mm	CPW-SF0884PD(E)	2500×880×2000	3~7
Handrail Height	450mm	CPW-SF0824PD(E)	3750×880×2000	3~7
mirror side panel	coated trims	ME-SF84L/RPD-A	— —	— —

Height	2000mm	CPW-SF064PD(E)	1875×1080×2000	3~7
Depth	1080mm	CPW-SF084PD(E)	2500×1080×2000	3~7
Handrail Height	450mm	CPW-SF024PD(E)	3750×1080×2000	3~7
		CPW-SF04UPD(E)	2368×1090×2000	3~7
mirror side panel	coated trims	ME-SF04L/RPD-A	— —	— —

Height	2000mm	FPW-SF0864PD(E)	1875×880×2000	0 ~ 4
Depth	880mm	FPW-SF0884PD(E)	2500×880×2000	0 ~ 4
Handrail Height	450mm	FPW-SF0824PD(E)	3750×880×2000	0 ~ 4
mirror side panel	coated trims	ME-SF84L/RPD-A	— —	— —





Height	2000mm	FPW-SF064PD(E)	1875×1080×2000	0 ~ 4
Depth	1080mm	FPW-SF084PD(E)	2500×1080×2000	0 ~ 4
Handrail Height	450mm	FPW-SF024PD(E)	3750×1080×2000	0 ~ 4
		FPW-SF04UPD(E)	2368×1090×2000	0 ~ 4
mirror side panel	coated trims	ME-SF04L/RPD-A	— —	— —



CEW/FEW-SF Multi-deck plug-in showcase

Daily <Fresh> , Dairy product , Drinks \ Meat , Fish

- ⊙ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ⊙ Air curtain : double air curtain, 15% energy saving than single air curtain
- ⊙ Three tiers shelves as standard style, height and angle are adjustable
- ⊙ Drain port should be reserved
- ⊙ Refrigerant : R404A



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height Depth Handrail Height	1930mm 880mm 550mm	CEW-SF9865(E)	1875×880×1930	3~7
		CEW-SF9885(E)	2500×880×1930	3~7
common side panel	coated trims	FEW-SF985EL/R-A	--	--
	stainless-steel trims	FEW-SF985EL/R-S	--	--
mirror side panel	coated trims	FEW-SF985EML/R-A	--	--
Height Depth Handrail Height	1930mm 1080mm 550mm	CEW-SF9065(E)	1875×1080×1930	3~7
		CEW-SF9085(E)	2500×1080×1930	3~7
common side panel	coated trims	FEW-SF905EL/R-A	--	--
	stainless-steel trims	FEW-SF905EL/R-S	--	--
Height Depth Handrail Height	1930mm 1080mm 550mm	FEW-SF9865(E)	1875×880×1930	-2 ~ 2
		FEW-SF9885(E)	2500×880×1930	0 ~ 4
common side panel	coated trims	FEW-SF985EL/R-A	--	--
	stainless-steel trims	FEW-SF985EL/R-S	--	--
mirror side panel	coated trims	FEW-SF985EML/R-A	--	--
Height Depth Handrail Height	1930mm 1080mm 550mm	FEW-SF9065(E)	1875×1080×1930	-2 ~ 2
		FEW-SF9085(E)	2500×1080×1930	0 ~ 4
common side panel	coated trims	FEW-SF905EL/R-A	--	--
	stainless-steel trims	FEW-SF905EL/R-S	--	--




CPS-SF Semi-multi-deck showcase


Dairy product & Daily <Fresh>

- ◎ Appearance : thin and simple appearance, highlight goods display
- ◎ Build round island by connecting straight type and end type, do shopping in all directions, use the space fully
- ◎ Controller : microcomputer digital controller, more precise temperature control
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Lighting : energy saving LED as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F


CPS-SF5864 series




CPS-SF5064 series



CPS-SF7864 series



CPS-SF7064 series



【CPS-SF Semi-multi-deck showcas】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1500mm Depth 880mm Handrail Height 450mm		CPS-SF5864(E)	1875×880×1500	3~7
		CPS-SF5884(E)	2500×880×1500	3~7
		CPS-SF5824(E)	3750×880×1500	3~7
		CPS-SF584EN(E)	1880×890×1500	3~7
		CPS-SF584U(E)-A	1960×1080×1500	5~10
luxury side panel	— —	CPS-SF584AEL/R	— —	— —
common side panel	coated trims	CPS-SF584EL/R-A	— —	— —
	stainless-steel trims	CPS-SF584EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF584EML/R-A	— —	— —

Height 1500mm Depth 1080mm Handrail Height 450mm		CPS-SF5064(E)	1875×1080×1500	3~7
		CPS-SF5084(E)	2500×1080×1500	3~7
		CPS-SF5024(E)	3750×1080×1500	3~7
		CPS-SF504EN(E)	2368×1090×1500	3~7
		CPS-SF504U(E)-A	2360×1080×1500	5~10
luxury side panel	— —	CPS-SF504AEL/R	— —	— —
common side panel	coated trims	CPS-SF504EL/R-A	— —	— —
	stainless-steel trims	CPS-SF504EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF504EML/R-A	— —	— —

Height 1700mm Depth 880mm Handrail Height 450mm		CPS-SF7864(E)	1875×880×1700	3~7
		CPS-SF7884(E)	2500×880×1700	3~7
		CPS-SF7824(E)	3750×880×1700	3~7
		CPS-SF784EN(E)	1880×890×1700	3~7
		CPS-SF784U(E)-A	1960×1080×1700	5~10
luxury side panel	— —	CPS-SF784AEL/R	— —	— —
common side panel	coated trims	CPS-SF784EL/R-A	— —	— —
	stainless-steel trims	CPS-SF784EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF784EML/R-A	— —	— —

Height 1700mm Depth 1080mm Handrail Height 450mm		CPS-SF7064(E)	1875×1080×1700	3~7
		CPS-SF7084(E)	2500×1080×1700	3~7
		CPS-SF7024(E)	3750×1080×1700	3~7
		CPS-SF704EN(E)	2368×1090×1700	3~7
		CPS-SF704U(E)-A	2360×1080×1700	5~10
luxury side panel	— —	CPS-SF704AEL/R	— —	— —
common side panel	coated trims	CPS-SF704EL/R-A	— —	— —
	stainless-steel trims	CPS-SF704EL/R-S	— —	— —
mirror side panel (rectangle)	coated trims	CPS-SF704EML/R-A	— —	— —


FPS-SF Semi-multi-deck showcase

Meat, Fish




- ◎ Appearance : thin and simple appearance, highlight goods display
- ◎ Build round island by connecting straight type and end type, do shopping in all directions, use the space fully
- ◎ Lower height of showcase, no hinder the view when the showcase is set in the mid of supermarket
- ◎ Controller : microcomputer digital controller, more precise temperature control
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Lighting : energy saving LED as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F


FPS-SF3864 series




FPS-SF3064 series




FPS-SF3065 series





FPS-SF5864 series



FPS-SF5064 series



FPS-SF5065 series



【FPS-SF Semi-multi-deck showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1350mm Depth 880mm Handrail Height 450mm		FPS-SF3864(E)	1875×880×1350	-2~2
		FPS-SF3884(E)	2500×880×1350	-2~2
		FPS-SF3824(E)	3750×880×1350	-2~2
		FPS-SF384EN(E)	1880×890×1350	-2~2
		FPS-SF384U(E)	1960×1080×1350	5~10
luxury side panel	— —	FPS-SF384AEL/R	— —	— —
common side panel	coated trims	FPS-SF384EL/R-A	— —	— —
	stainless-steel trims	FPS-SF384EL/R-S	— —	— —
mirror side panel	coated trims	FPS-SF384EML/R-A	— —	— —

Height 1350mm Depth 1080mm Handrail Height 450mm		FPS-SF3064(E)	1875×1080×1350	-2~2
		FPS-SF3084(E)	2500×1080×1350	-2~2
		FPS-SF3024(E)	3750×1080×1350	-2~2
		FPS-SF304EN(E)	2368×1090×1350	-2~2
		FPS-SF304U(E)	2360×1080×1350	5~10
luxury side panel	— —	FPS-SF304AEL/R	— —	— —
common side panel	coated trims	FPS-SF304EL/R-A	— —	— —
	stainless-steel trims	FPS-SF304EL/R-S	— —	— —
mirror side panel	coated trims	FPS-SF304EML/R-A	— —	— —

Height 1350mm Depth 1080mm Handrail Height 550mm		FPS-SF3065(E)	1875×1080×1350	-2~2
		FPS-SF3085(E)	2500×1080×1350	-2~2
		FPS-SF3025(E)	3750×1080×1350	-2~2
		FPS-SF305EN(E)	2368×1090×1350	-2~2
		FPS-SF305U(E)	2360×1080×1350	5~10
luxury side panel	— —	FPS-SF305AEL/R	— —	— —
common side panel	coated trims	FPS-SF305EL/R-A	— —	— —
	stainless-steel trims	FPS-SF305EL/R-S	— —	— —
mirror side panel	coated trims	FPS-SF305EML/R-A	— —	— —



【FPS-SF Semi-multi-deck showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1500mm Depth 880mm Handrail Height 450mm		FPS-SF5864(E)	1875×880×1500	0~4
		FPS-SF5884(E)	2500×880×1500	0~4
		FPS-SF5824(E)	3750×880×1500	0~4
		FPS-SF584EN(E)	1880×890×1500	0~4
		FPS-SF584U(E)	1960×1080×1500	5~10
luxury side panel	— —	CPS-SF584AEL/R	— —	— —
common side panel	coated trims	CPS-SF584EL/R-A	— —	— —
	stainless-steel trims	CPS-SF584EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF584EML/R-A	— —	— —

Height 1500mm Depth 1080mm Handrail Height 450mm		FPS-SF5064(E)	1875×1080×1500	0~4
		FPS-SF5084(E)	2500×1080×1500	0~4
		FPS-SF5024(E)	3750×1080×1500	0~4
		FPS-SF504EN(E)	2368×1090×1350	0~4
		FPS-SF504U(E)	2360×1080×1350	5~10
luxury side panel	— —	CPS-SF504AEL/R	— —	— —
common side panel	coated trims	CPS-SF504EL/R-A	— —	— —
	stainless-steel trims	CPS-SF504EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF504EML/R-A	— —	— —


Height 1500mm Depth 1080mm Handrail Height 550mm		FPS-SF5065(E)	1875×1080×1500	0~4
		FPS-SF5085(E)	2500×1080×1500	0~4
		FPS-SF5025(E)	3750×1080×1500	0~4
		FPS-SF505EN(E)	2368×1090×1350	0~4
		FPS-SF505U(E)	2360×1080×1350	5~10
luxury side panel	— —	CPS-SF505AEL/R	— —	— —
common side panel	coated trims	CPS-SF505EL/R-A	— —	— —
	stainless-steel trims	CPS-SF505EL/R-S	— —	— —
mirror side panel	coated trims	CPS-SF505EML/R-A	— —	— —

Select table for mirror







Applicable showcase length	Mirror Width (200mm)	Mirror Width (280mm)	Mirror Width (350mm)	Mirror Width (420mm)	Mirror Width (460mm)
1875mm	M-EXC206	M-EXC286	M-EXC356	M-EXC426	M-EXC466
2500mm	M-EXC200	M-EXC280	M-EXC350	M-EXC420	M-EXC460
3750mm	M-EXC202	M-EXC282	M-EXC352	M-EXC422	M-EXC462
End case	M-EXC207	M-EXC287	M-EXC357	M-EXC427	M-EXC467

CPS/FPS
Round type Semi-multi deck showcase

Daily <Fresh>、Dairy product、Drinks\ Meat 、Fish



- ◎ Connect the curved end type and straight type, upgrade effectiveness of layout by streamline appearance combined with shop design
- ◎ Lower height of showcase, no hinder the view when the showcase is set in the mid of supermarket
- ◎ Controller : microcomputer digital controller, more precise temperature control
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Lighting : energy saving LED as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F



【CPS/FPS Round type Semi-multi deck showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1350mm Depth 919.5mm Handrail Height 460mm		CPS-SF3864C(E)	1875×919.5×1350	3~7
		CPS-SF3884C(E)	2500×919.5×1350	3~7
		CPS-SF3824C(E)	3750×919.5×1350	3~7
		CPS-SF384CU(E)	2039×1019.5×1350	3~10
common side panel	stainless-steel trims	FPS-SF384EL/RC-S	--	--
mirror side panel	stainless-steel trims	FPS-SF384EML/RC-S(T)	--	--

Height 1500mm Depth 919.5mm Handrail Height 460mm		CPS-SF5864C(E)	1875×919.5×1500	3~7
		CPS-SF5884C(E)	2500×919.5×1500	3~7
		CPS-SF5824C(E)	3750×919.5×1500	3~7
		CPS-SF584CU(E)	2039×1019.5×1500	3~10
common side panel	coated trims	CPS-SF584EL/RC-A	--	--
	stainless-steel trims	CPS-SF584EL/RC-S	--	--
mirror side panel	stainless-steel trims	CPS-SF584EML/RC-S(T)	--	--

Height 1700mm Depth 919.5mm Handrail Height 460mm		CPS-SF7864C(E)	1875×919.5×1700	3~7
		CPS-SF7884C(E)	2500×919.5×1700	3~7
		CPS-SF7824C(E)	3750×919.5×1700	3~7
		CPS-SF784CU(E)	2039×1019.5×1700	3~10
common side panel	coated trims	CPS-SF784EL/RC-A	--	--
mirror side panel	stainless-steel trims	CPS-SF784EML/RC-S(T)	--	--

Height 1350mm Depth 919.5mm Handrail Height 460mm		FPS-SF3864C(E)	1875×919.5×1350	-2~2
		FPS-SF3884C(E)	2500×919.5×1350	-2~2
		FPS-SF3824C(E)	3750×919.5×1350	-2~2
		FPS-SF384CU(E)	2039×1019.5×1350	3~10
common side panel	stainless-steel trims	FPS-SF384EL/RC-S	--	--
mirror side panel	stainless-steel trims	FPS-SF384EML/RC-S(T)	--	--

Height 1500mm Depth 919.5mm Handrail Height 460mm		FPS-SF5864C(E)	1875×919.5×1500	0~4
		FPS-SF5884C(E)	2500×919.5×1500	0~4
		FPS-SF5824C(E)	3750×919.5×1500	0~4
		FPS-SF584CU(E)	2039×1019.5×1500	3~10
common side panel	coated trims	FPS-SF584EL/RC-A	--	--
	stainless-steel trims	FPS-SF584EL/RC-S	--	--
mirror side panel	stainless-steel trims	FPS-SF584EML/RC-S(T)	--	--







CPS/FPS

Semi-multi-deck plug-in showcase

Daily <Fresh>、Dairy product、Drinks\Meat、Fish

- ◎ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ◎ Drain port should be reserved
- ◎ Lower height of showcase, no hinder the view when the showcase is set in the mid of supermarket
- ◎ Drainage: with stainless steel material, corrosion preventive, easy clean
- ◎ Lighting: energy saving LED as standard style
- ◎ Refrigerant: R404A



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height Depth	1645mm 880mm	CPS-SF5864PI(E)	1875×880×1645	3~7
		CPS-SF5884PI(E)	2500×880×1645	3~7
mirror side panel	coated trims	CPS-SF584EL/RPI-A	— —	— —
Height Depth	1645mm 1080mm	CPS-SF5064PI(E)	1875×1080×1645	3~7
		CPS-SF5084PI(E)	2500×1080×1645	3~7
mirror side panel	coated trims	CPS-SF504EL/RPI-A	— —	— —
Height Depth	1495mm 880mm	FPS-SF3865PI(E)	1875×880×1495	-2~-2
		FPS-SF3885PI(E)	2500×880×1495	-2~-2
common side panel	coated trims	FPS-SF385EL/RPI-A	— —	— —
	stainless-steel trims	FPS-SF385EL/RPI-S	— —	— —
Height Depth	1495mm 1080mm	FPS-SF3065PI(E)	1875×1080×1495	-2~-2
		FPS-SF3085PI(E)	2500×1080×1495	-2~-2
common side panel	coated trims	FPS-SF305EL/RPI-S	— —	— —

RIF-SF
Reach-in showcase

Frozen foods/Refrigerated foods








- ◎ Appearance : extra large glass, improve the vertical space of the display, increase operation rate of unit area, with aluminum door frame and integrative handle, make the showcase more steady and durable

Two kinds sizes of width, meet different area demands for large or small supermarkets

- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Drainage : with stainless steel material, corrosion preventive, easy clean
- ◎ Lighting : energy saving LED as standard style
- ◎ Adjustable shelves : different sizes goods can be displayed sufficiently

Refrigerant : R22、R404A、R744、R407F



【RIF-SF Reach-in showcase】


Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 2000mm Depth 950mm		RIF-SF092L(E)	1552×950×2000	-18~-22
		RIF-SF093L(E)	2328×950×2000	-18~-22
		RIF-SF094L(E)	3104×950×2000	-18~-22
		RIF-SF095L(E)	3880×950×2000	-18~-22
		RIF-SF092CL(E)	1948×978×2000	-18~-22
luxury side panel	---	RIF-SF09BEG/L/R	---	---
common side panel	coated trims	RIF-SF09BEL/R	---	---

Height 2000mm Depth 800mm		RIF-SF082L(E)	1552×800×2000	-18~-22
		RIF-SF083L(E)	2328×800×2000	-18~-22
		RIF-SF084L(E)	3104×800×2000	-18~-22
		RIF-SF085L(E)	3880×800×2000	-18~-22
		RIF-SF082CL(E)	1794×828×2000	-18~-22
luxury side panel	---	RIF-SF08BEG/L/R	---	---
common side panel	coated trims	RIF-SF08BEL/R	---	---

Height 2000mm Depth 950mm		RIF-SF092M(E)	1552×950×2000	-1~7
		RIF-SF093M(E)	2328×950×2000	-1~7
		RIF-SF094M(E)	3104×950×2000	-1~7
		RIF-SF095M(E)	3880×950×2000	-1~7
		RIF-SF092CM(E)	1948×978×2000	-1~7
luxury side panel	---	RIF-SF09BEG/L/R	---	---
common side panel	coated trims	RIF-SF09BEL/R	---	---

Height 2000mm Depth 800mm		RIF-SF082M(E)	1552×800×2000	-1~7
		RIF-SF083M(E)	2328×800×2000	-1~7
		RIF-SF084M(E)	3104×800×2000	-1~7
		RIF-SF085M(E)	3880×800×2000	-1~7
		RIF-SF082CM(E)	1794×828×2000	-1~7
luxury side panel	---	RIF-SF08BEG/L/R	---	---
common side panel	coated trims	RIF-SF08BEL/R	---	---









CSM-SF Island showcase

Meat , Fish

- Evenly and stable temperature meet the demands for display and fresh of meat、sushi
- There is the model with additional shelf, for more display space for goods
- Complete product line with kinds of corner case, coordinate with layout of supermarket flexibly
- Appearance : thin and simple appearance, highlight goods display
- Controller : microcomputer digital controller, more precise temperature control
- Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard style
- Refrigerant : R22、R404A、R744、R407F



【CSM-SF Island showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 930mm Depth 1080mm		CSM-SF067(E)	1875×1080×930	-2 ~ 2
		CSM-SF087(E)	2500×1080×930	-2 ~ 2
		CSM-SF027(E)	3750×1080×930	-2 ~ 2
		CSM-SFLO(E)	90°Outer corner	5~10
		CSM-SFLI(E)	90°Inner corner	3 ~ 7
		CSM-SFVO(E)	135°Outer corner	5~10
		CSM-SFVI(E)	135°Inner corner	3 ~ 7
common side panel	coated trims	CSM-SF07EL/R-A	--	--
	stainless-steel trims	CSM-SF07EL/R-S	--	--

Height 930mm Depth 880mm		CSM-SF867(E)	1875×880×930	-2 ~ 2
		CSM-SF887(E)	2500×880×930	-2 ~ 2
		CSM-SF827(E)	3750×880×930	-2 ~ 2
		CSM-SF87LO(E)	90°Outer corner	5~10
		CSM-SF87LI(E)	90°Inner corner	3 ~ 7
		CSM-SF87VO(E)	135°Outer corner	5~10
		CSM-SF87VI(E)	135°Inner corner	3 ~ 7
common side panel	coated trims	CSM-SF87EL/R-A	--	--
	stainless-steel trims	CSM-SF87EL/R-S	--	--

Height 1050mm Depth 1080mm		CSM-SF1067M(E)	1875×1080×1050	-2 ~ 2
		CSM-SF1087M(E)	2500×1080×1050	-2 ~ 2
		CSM-SF1027M(E)	3750×1080×1050	-2 ~ 2
		CSM-SF107MLO(E)	90°Outer corner	5~10
		CSM-SF107MLI(E)	90°Inner corner	3 ~ 7
		CSM-SF107MVO(E)	135°Outer corner	5~10
		CSM-SF107MVI(E)	135°Inner corner	3 ~ 7
common side panel	coated trims	CSM-SF107EL/R-A	--	--
	stainless-steel trims	CSM-SF107EL/R-S	--	--




Height 1050mm Depth 880mm		CSM-SF1867M(E)	1875×880×1050	-2 ~ 2
		CSM-SF1887M(E)	2500×880×1050	-2 ~ 2
		CSM-SF1827M(E)	3750×880×1050	-2 ~ 2
		CSM-SF187MLO(E)	90°Outer corner	5~10
		CSM-SF187MLI(E)	90°Inner corner	3 ~ 7
		CSM-SF187MVO(E)	135°Outer corner	5~10
		CSM-SF187MVI(E)	135°Inner corner	3 ~ 7
common side panel	coated trims	CSM-SF187EL/R-A	--	--
	stainless-steel trims	CSM-SF187EL/R-S	--	--



CSM-SF Island plug-in showcase

Meat 、 Fish

- ◎ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ◎ With water box and bucket, no need reserve the drain port
- ◎ Evenly and stable temperature meet the demands for display and fresh of meat 、 sushi
- ◎ There is the model with additional shelf, for more display space for goods
- ◎ Lighting : energy saving LED as standard style
- ◎ Refrigerant : R404A




Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1075mm Depth 880mm	common side panel	CSM-SF867PI(E)	1875×880×1075	-2 ~ 2
		CSM-SF887PI(E)	2500×880×1075	-2 ~ 2
coated trims		CSM-SF87PIEL/R-A	— —	— —
Height 1075mm Depth 1080mm	common side panel	CSM-SF067PI(E)	1875×1080×1075	-2 ~ 2
		CSM-SF087PI(E)	2500×1080×1075	-2 ~ 2
coated trims		CSM-SF07PIEL/R-A	— —	— —
Height 1195mm Depth 1080mm	common side panel	CSM-SF1067MPI(E)	1875×1080×1195	-2 ~ 2
		CSM-SF1087MPI(E)	2500×1080×1195	-2 ~ 2
coated trims		CSM-SF107PIEL/R-A	— —	— —




TVQ-SF Island freezer showcase

Frozen foods




- Larger open display space, good for goods stacking
- Display the goods adequately by extra large front glass
- Extend display space by optional non-cooling over shelf, optional LED for better show
- Appearance : thin and simple appearance, highlight goods display
- Controller : microcomputer digital controller, more precise temperature control
- Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard style
- Refrigerant : R22、R404A、R744、R407F


TVQ-SF069WF series



TVQ-SF069KF series



TVQ-SF069LF series




Product series		Model No.	Dimension (mm)	Temp Range (°C)
Depth 1500mm Handrail Height 910mm		TVQ-SF069WF(E)	1875×1500×910	-18 ~ -22
		TVQ-SF089WF(E)	2500×1500×910	-18 ~ -22
		TVQ-SF029WF(E)	3750×1500×910	-18 ~ -22
		TVQ-SFCWF(E)	1500×1080×910	-18 ~ -22
luxury side panel	— —	TVQ-SFWFAE	— —	— —
common side panel	coated trims	TVQ-SFWFE1-A	— —	— —
	stainless-steel trims	TVQ-SFWFE1-S	— —	— —
Depth 1800mm Handrail Height 910mm		TVQ-SF069KF(E)	1875×1800×910	-18 ~ -22
		TVQ-SF089KF(E)	2500×1800×910	-18 ~ -22
		TVQ-SF029KF(E)	3750×1800×910	-18 ~ -22
		TVQ-SFCKF(E)	1800×1080×910	-18 ~ -22
luxury side panel	— —	TVQ-SFKFAE	— —	— —
common side panel	coated trims	TVQ-SFKFE1-A	— —	— —
	stainless-steel trims	TVQ-SFKFE1-S	— —	— —
Depth 1800mm Handrail Height 910mm		TVQ-SF069LF(E)	1875×2000×910	-18 ~ -22
		TVQ-SF089LF(E)	2500×2000×910	-18 ~ -22
		TVQ-SF029LF(E)	3750×2000×910	-18 ~ -22
		TVQ-SFCLF(E)	2000×1080×910	-18 ~ -22
luxury side panel	— —	TVQ-SFLFAE	— —	— —
common side panel	coated trims	TVQ-SFLFE1-A	— —	— —
	stainless-steel trims	TVQ-SFLFE1-S	— —	— —

Select table for over shelf




Applicable showcase length	over shelf Width (350mm)	over shelf Width (500mm)
1875mm	TVQ-S6EXCWF(E)	TVQ-S6EXCKF(E)
2500mm	TVQ-S8EXCWF(E)	TVQ-S8EXCKF(E)
3750mm	TVQ-S2EXCWF(E)	TVQ-S2EXCKF(E)
End case	— —	— —

TVQ-SF Island freezer sliding door showcase

Frozen foods



- additional door design, 30% energy saving
- Curved Low-E tempered glass, stereoscopic and transparent
- Aluminum door slide way is high strength and durable, with heater as standard style
- Display the goods adequately by extra large front glass
- Extend display space by optional non-cooling over shelf . Optional LED for better show
- Appearance : thin and simple appearance, highlight goods display
- Controller : microcomputer digital controller, more precise temperature control
- Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard style
- Refrigerant : R22、R404A、R744、R407F




Product series		Model No.	Dimension (mm)	Temp Range (°C)
Depth 1500mm Handrail Height 945mm		TVQ-SF069WVSD(E)	1875×1500×945	-18 ~ -22
		TVQ-SF089WVSD(E)	2500×1500×945	-18 ~ -22
		TVQ-SF029WVSD(E)	3750×1500×945	-18 ~ -22
		TVQ-SFCWFVSD(E)	1500×1080×945	-18 ~ -22
luxury side panel	---	TVQ-SFWFAEVSD	---	---
common side panel	coated trims	TVQ-SFWFE1VSD-A	---	---
	stainless-steel trims	TVQ-SFWFE1VSD-S	---	---
Depth 1800mm Handrail Height 945mm		TVQ-SF069KFVSD(E)	1875×1800×945	-18 ~ -22
		TVQ-SF089KFVSD(E)	2500×1800×945	-18 ~ -22
		TVQ-SF029KFVSD(E)	3750×1800×945	-18 ~ -22
		TVQ-SFCKFVSD(E)	1800×1080×945	-18 ~ -22
luxury side panel	---	TVQ-SFKFAEVSD	---	---
common side panel	coated trims	TVQ-SFKFE1VSD-A	---	---
	stainless-steel trims	TVQ-SFKFE1VSD-S	---	---
Depth 2000mm Handrail Height 945mm		TVQ-SF069LFVSD(E)	1875×2000×945	-18 ~ -22
		TVQ-SF089LFVSD(E)	2500×2000×945	-18 ~ -22
		TVQ-SF029LFVSD(E)	3750×2000×945	-18 ~ -22
		TVQ-SFCLFVSD(E)	2000×1080×945	-18 ~ -22
luxury side panel	---	TVQ-SFLFAEVSD	---	---
common side panel	coated trims	TVQ-SFLFE1VSD-A	---	---
	stainless-steel trims	TVQ-SFLFE1VSD-S	---	---

Select table for over shelf





Applicable showcase length	over shelf Width (350mm)	over shelf Width (500mm)
1875mm	TVQ-S6EXCWFVSD(E)	TVQ-S6EXCKFVSD(E)
2500mm	TVQ-S8EXCWFVSD(E)	TVQ-S8EXCKFVSD(E)
3750mm	TVQ-S2EXCWFVSD(E)	TVQ-S2EXCKFVSD(E)
End case	---	---

CZM-SF Island freezer showcase

Frozen foods



- Larger open display space, good for goods stacking
- Display the goods adequately by extra large front glass
- Combined with TVQ series, set around pillar, use space fully
- Appearance : thin and simple appearance, highlight goods display
- Controller : microcomputer digital controller, more precise temperature control
- Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard style
- Refrigerant : R22、R404A、R744、R407F







Product series		Model No.	Dimension (mm)	Temp Range (°C)
Depth Handrail Height		CZM-SF067(E)	1875×1080×800	-18 ~ -22
		CZM-SF087(E)	2500×1080×800	-18 ~ -22
		CZM-SF027(E)	3750×1080×800	-18 ~ -22
common side panel	coated trims	CZM-SF07EL/R-A	--	--
	stainless-steel trims	CZM-SF07EL/R-S	--	--
Depth Handrail Height		CZM-SF867(E)	1875×880×800	-18 ~ -22
		CZM-SF887(E)	2500×880×800	-18 ~ -22
		CZM-SF827(E)	3750×880×800	-18 ~ -22
common side panel	coated trims	CZM-SF87EL/R-A	--	--
	stainless-steel trims	CZM-SF87EL/R-S	--	--
Depth Handrail Height		CZM-SF069BF(E)	1875×1080×910	-18 ~ -22
		CZM-SF089BF(E)	2500×1080×910	-18 ~ -22
		CZM-SF029BF(E)	3750×1080×910	-18 ~ -22
		CZM-SFCBF(E)	2230×1080×910	-18 ~ -22
common side panel	coated trims	CZM-SF09EL/R-A	--	--
	stainless-steel trims	CZM-SF09EL/R-S	--	--
Depth Handrail Height		CZM-SF869BF(E)	1875×880×910	-18 ~ -22
		CZM-SF889BF(E)	2500×880×910	-18 ~ -22
		CZM-SF829BF(E)	3750×880×910	-18 ~ -22
		CZM-SFCBF(E)-1830	1830×1080×910	-18 ~ -22
common side panel	coated trims	CZM-SF89EL/R-A	--	--
	stainless-steel trims	CZM-SF89EL/R-S	--	--

CZM-SF Island freezer sliding door showcase

Frozen foods



- additional door design, 30% energy saving
- Curved Low-E tempered glass, stereoscopic and transparent
- Aluminum door slide way is high strength and durable, with heater as standard style
- Display the goods adequately by extra large front glass
- Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- Drainage : with stainless steel material, corrosion preventive, easy clean
- Lighting : energy saving LED as standard style
- Refrigerant : R22、R404A、R744、R407F



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Depth Handrail Height	1080mm 835mm	CZM-SF067VSD(E)	1875×1080×835	-18 ~ -22
		CZM-SF087VSD(E)	2500×1080×835	-18 ~ -22
		CZM-SF027VSD(E)	3750×1080×835	-18 ~ -22
common side panel	coated trims	CZM-SF07EL/RVSD-A	--	--
	stainless-steel trims	CZM-SF07EL/RVSD-S	--	--
Depth Handrail Height	880mm 835mm	CZM-SF867VSD(E)	1875×880×835	-18 ~ -22
		CZM-SF887VSD(E)	2500×880×835	-18 ~ -22
		CZM-SF827VSD(E)	3750×880×835	-18 ~ -22
common side panel	coated trims	CZM-SF87EL/RVSD-A	--	--
	stainless-steel trims	CZM-SF87EL/RVSD-S	--	--
Depth Handrail Height	1080mm 945mm	CZM-SF069BFVSD(E)	1875×1080×945	-18 ~ -22
		CZM-SF089BFVSD(E)	2500×1080×945	-18 ~ -22
		CZM-SF029BFVSD(E)	3750×1080×945	-18 ~ -22
		CZM-SFCBFVSD(E)	2230×1080×945	-18 ~ -22
common side panel	coated trims	CZM-SF09EL/RVSD-A	--	--
	stainless-steel trims	CZM-SF09EL/RVSD-S	--	--
Depth Handrail Height	880mm 945mm	CZM-SF869BFVSD(E)	1875×880×945	-18 ~ -22
		CZM-SF889BFVSD(E)	2500×880×945	-18 ~ -22
		CZM-SF829BFVSD(E)	3750×880×945	-18 ~ -22
		CZM-SFCBFVSD(E)-1830	1830×1080×945	-18 ~ -22
common side panel	coated trims	CZM-SF89EL/RVSD-A	--	--
	stainless-steel trims	CZM-SF89EL/RVSD-S	--	--




CZM-SF Island freezer plug-in showcase

Frozen foods

- ◎ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ◎ With water box and bucket, no need reserve the drain port
- ◎ Additional door design, 30% energy saving
- ◎ Display the goods adequately by extra large front glass
- ◎ Refrigerant : R404A

CZM-SF067PIVSD series









Product series		Model No.	Dimension (mm)	Temp Range (°C)
Depth	1080mm	CZM-SF067PIVSD(E)	1875×1080×1100	-18~-22
Handrail Height	1100mm	CZM-SF087PIVSD(E)	2500×1080×1100	-18~-22
common side pane	coated trims	CZM-SF07PIEL/RVSD-A	--	--



FAM-BD Serve over showcase

Fish and Meat


- ◎ All-metal exterior, soft lines, and a simple and rich texture
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Front curved glass without edge, highlight goods display
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ With kick plate as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F



【FAM-BD Serve over showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 845mm Depth 1150mm		FAM-BD6(E)	1875×1150×845	-1~5
		FAM-BD8(E)	2500×1150×845	-1~5
		FAM-BD2(E)	3750×1150×845	-1~5
		FAM-BDLO(E)	90°Outer corner	5~10
		FAM-BDLI(E)	90°Inner corner	5~10
		FAM-BDVO(E)	135°Outer corner	5~10
		FAM-BDVI(E)	135°Inner corner	5~10
luxury side panel	— —	FAM-BDAEL/AER	— —	— —
common side panel	coated trims	FAM-BDEL-A/ER-A	— —	— —
	stainless-steel trims	FAM-BDEL/ER	— —	— —

Height 845mm Depth 1000mm		FAM-BD6N(E)	1875×1000×845	-1~5
		FAM-BD8N(E)	2500×1000×845	-1~5
		FAM-BD2N(E)	3750×1000×845	-1~5
		FAM-BDLON-T(E)	90°Outer corner	5~10
		FAM-BDLIN-T(E)	90°Inner corner	5~10
common side panel	coated trims	FAM-BDELN-A/ERN-A	— —	— —
	stainless-steel trims	FAM-BDELN/ERN	— —	— —




FAM-BD Serve over showcase


Fish and Meat

- ◎ All-metal exterior, soft lines, and a simple and rich texture
- ◎ Front curved glass with clear view, flip up door style and sliding door style are optional
- ◎ The back sliding flat glass door is designed ergonomically, operate simply
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ With kick plate as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F


FAM-BD6G-L series




FAM-BD6GN-L series




FAM-BD6GSD-L series




FAM-BD6GSDN-L series




90°Outer corner




90°Inner corner



135°Outer corner



135°Inner corner




【FAM-BD Serve over showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Flip Up Door Style Height 1210mm Depth 1150mm		FAM-BD6G(E)-L	1875×1150×1210	-1~5
		FAM-BD8G(E)-L	2500×1150×1210	-1~5
		FAM-BD2G(E)-L	3750×1150×1210	-1~5
		FAM-BDLOG(E)-L	90°Outer corner	5~10
		FAM-BDLIG(E)-L	90°Inner corner	5~10
		FAM-BDVOG(E)-L	135°Outer corner	5~10
		FAM-BDVIG(E)-L	135°Inner corner	5~10
luxury side panel	— —	FAM-BDGAEL/AER	— —	— —
common side panel	coated trims	FAM-BDGEL-A/ER-A	— —	— —
	stainless-steel trims	FAM-BDGEL/ER	— —	— —

Flip Up Door Style Height 1210mm Depth 1000mm		FAM-BD6GN(E)-L	1875×1000×1210	-1~5
		FAM-BD8GN(E)-L	2500×1000×1210	-1~5
		FAM-BD2GN(E)-L	3750×1000×1210	-1~5
		FAM-BDLOGN(E)-L	90°Outer corner	0~6
common side panel	coated trims	FAM-BDGELN-A/ERN-A	— —	— —
	stainless-steel trims	FAM-BDGELN/ERN	— —	— —

Sliding Door Style Height 1210mm Depth 1150mm		FAM-BD6GSD(E)-L	1875×1150×1210	-1~5
		FAM-BD8GSD(E)-L	2500×1150×1210	-1~5
		FAM-BD2GSD(E)-L	3750×1150×1210	-1~5
		FAM-BDLOGSD(E)-L	90°Outer corner	5~10
		FAM-BDLIGSD(E)-L	90°Inner corner	5~10
		FAM-BDVOGSD(E)-L	135°Outer corner	5~10
luxury side panel	— —	FAM-BDGAEL/AER	— —	— —
common side panel	coated trims	FAM-BDGEL-A/ER-A	— —	— —
	stainless-steel trims	FAM-BDGEL/ER	— —	— —



Sliding Door Style Height 1210mm Depth 1000mm		FAM-BD6GSDN(E)-L	1875×1000×1210	-1~5
		FAM-BD8GSDN(E)-L	2500×1000×1210	-1~5
		FAM-BD2GSDN(E)-L	3750×1000×1210	-1~5
		FAM-BDLOGSDN(E)-L	90°Outer corner	5~10
common side panel	coated trims	FAM-BDGELN-A/ERN-A	— —	— —
	stainless-steel trims	FAM-BDGELN/ERN	— —	— —




FAM-BD ice showcase

Fish and Meat

- ◎ All-metal exterior, soft lines, and a simple and rich texture
- ◎ Direct cooling ice showcase : cooperate with ice to display the fish and meet, avoid water loss, increase freshness
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Refrigerant : R22、R404A、R744、R407F







Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 845mm Depth 1150mm		FAM-BD6I(E)	1875×1150×845	0~4
		FAM-BD8I(E)	2500×1150×845	0~4
		FAM-BDLOI-T(E)	90°Outer corner	0~4
		FAM-BDLII(E)	90°Inner corner	0~4
common side panel	coated trims	FAM-BDWELI-A/WERI-A	— —	— —
	stainless-steel trims	FAM-BDWELI/WERI	— —	— —
Height 845mm Depth 1000mm		FAM-BD6IN(E)	11875×1000×845	0~4
		FAM-BD8IN(E)	2500×1000×845	0~4
		FAM-BDLIN-T(E)	90°Outer corner	0~4
common side panel	coated trims	FAM-BDWELIN-A/WERIN-A	— —	— —
	stainless-steel trims	FAM-BDWELIN/WERIN	— —	— —



FAM-BD hot showcase

Cooked food and processed goods

- ◎ Water-heat type and dry-heat type can be chosen according the food displayed
- ◎ All-metal exterior, soft lines, and a simple and rich texture
- ◎ Front curved glass with clear view
- ◎ The back sliding flat glass door is designed ergonomically, operate simply
- ◎ Stainless-steel, impact-resistant working area that will not deform



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Water-Heat Type Flip Up Door Style Height 1210mm Depth 1150mm		FAM-BD6GHW(E)	1875×1150×1210	60~65
		FAM-BD8GHW(E)	2500×1150×1210	60~65
		FAM-BD2GHW(E)	3750×1150×1210	60~65
		FAM-BDLOGHW(E)	90°Outer corner	60~65
common side panel	coated trims	FAM-BDGEL-A/ER-A	— —	— —
	stainless-steel trims	FAM-BDGEL/ER	— —	— —

【FAM-BD hot showcase】



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Dry-Heat Type Flip Up Door Style Height 1210mm Depth 1150mm		FAM-BD6GHD(E)	1875×1150×1210	60~65
		FAM-BD8GHD(E)	2500×1150×1210	60~65
		FAM-BD2GHD(E)	3750×1150×1210	60~65
		FAM-BDLOGHD(E)	90°Outer corner	60~65
		FAM-BDVIGHD(E)	135°Inner corner	60~65
common side panel	coated trims	FAM-BDGEL-A/ER-A	--	--
	stainless-steel trims	FAM-BDGEL/ER	--	--
Water-Heat Type Flip Up Door Style Height 1210mm depth 1000mm		FAM-BD6GHWN(E)	1875×1000×1210	60~65
		FAM-BD8GHWN(E)	2500×1000×1210	60~65
		FAM-BD2GHWN(E)	3750×1000×1210	60~65
		FAM-BDLOGHWN-T(E)	90°Outer corner	60~65
common side panel	coated trims	FAM-BDGELN-A/ERN-A	--	--
	stainless-steel trims	FAM-BDGELN/ERN	--	--
Dry-Heat Type Flip Up Door Style Height 1210mm Depth 1000mm		FAM-BD6GHDN(E)	1875×1000×1210	60~65
		FAM-BD8GHDN(E)	2500×1000×1210	60~65
		FAM-BD2GHDN(E)	3750×1000×1210	60~65
		FAM-BDLOGHDN-T(E)	90°Outer corner	60~65
common side panel	coated trims	FAM-BDGELN-A/ERN-A	--	--
	stainless-steel trims	FAM-BDGELN/ERN	--	--
Water-Heat Type Sliding Door Style Height 1210mm Depth 1150mm		FAM-BD6GHWSD(E)	1875×1150×1210	60~65
		FAM-BD8GHWSD(E)	2500×1150×1210	60~65
		FAM-BD2GHWSD(E)	3750×1150×1210	60~65
		FAM-BDLOGHWSD(E)	90°Outer corner	60~65
common side panel	coated trims	FAM-BDGEL-A/ER-A	--	--
	stainless-steel trims	FAM-BDGEL/ER	--	--
Dry-Heat Type Sliding Door Style Height 1210mm Depth 1150mm		FAM-BD6GHDS(D)(E)	1875×1150×1210	60~65
		FAM-BD8GHDS(D)(E)	2500×1150×1210	60~65
		FAM-BD2GHDS(D)(E)	3750×1150×1210	60~65
		FAM-BDLOGHDS(D)(E)	90°Outer corner	60~65
		FAM-BDLIGHDS(D)(E)	90°Inner corner	60~65
		FAM-BDVOGSDH(D)(E)	135°Outer corner	60~65
		FAM-BDVIGHDS(D)-T(E)	135°Inner corner	60~65
common side panel	coated trims	FAM-BDGEL-A/ER-A	--	--
	stainless-steel trims	FAM-BDGEL/ER	--	--
Water-Heat Type Sliding Door Style Height 1210mm Depth 1000mm		FAM-BD6GHWS(D)(N)(E)	1875×1000×1210	60~65
		FAM-BD8GHWS(D)(N)(E)	2500×1000×1210	60~65
		FAM-BD2GHWS(D)(N)(E)	3750×1000×1210	60~65
common side panel	coated trims	FAM-BDGELN-A/ERN-A	--	--
	stainless-steel trims	FAM-BDGELN/ERN	--	--
Dry-Heat Type Sliding Door Style Height 1210mm Depth 1000mm		FAM-BD6GHDS(D)(N)(E)	1875×1000×1210	60~65
		FAM-BD8GHDS(D)(N)(E)	2500×1000×1210	60~65
		FAM-BD2GHDS(D)(N)(E)	3750×1000×1210	60~65
common side panel	coated trims	FAM-BDGELN-A/ERN-A	--	--
	stainless-steel trims	FAM-BDGELN/ERN	--	--

FAM-BD Serve over plug-in showcase


Fish and Meat




- ◎ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ◎ No need extra space for compressor unit, suit for small shop
- ◎ All-metal exterior, soft lines, and a simple and rich texture
- ◎ Open type, flip up door style and sliding door style are optional
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Refrigerant : R404A




FAM-BD6PI series




FAM-BD6NPI series




FAM-BD6GPI-L series



FAM-BD6GSDPI-L series



FAM-BD6GSDNPI-L series



【FAM-BD Serve over plug-in showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height Depth	845mm	FAM-BD6PI(E)	1875×1150×845	-1~5
	1150mm	FAM-BD8PI(E)	2500×1150×845	-1~5
luxury side panel	---	FAM-BDAEL/AER	---	---
common side panel	coated trims	FAM-BDEL-A/ER-A	---	---
	stainless-steel trims	FAM-BDEL/ER	---	---

Height Depth	845mm	FAM-BD6NPI(E)	1875×1000×845	-1~5
	1000mm	FAM-BD8NPI(E)	2500×1000×845	-1~5
common side panel	coated trims	FAM-BDELN-A/ERN-A	---	---
	stainless-steel trims	FAM-BDELN/ERN	---	---

Height Depth	1210mm	FAM-BD6GPI(E)-L	1875×1150×1210	-1~5
	1150mm	FAM-BD8GPI(E)-L	2500×1150×1210	-1~5
luxury side panel	---	FAM-BDGAEL/AER	---	---
common side panel	coated trims	FAM-BDGEL-A/ER-A	---	---
	stainless-steel trims	FAM-BDGEL/ER	---	---

Height Depth	1210mm	FAM-BD6GSDPI(E)-L	1875×1150×1210	-1~5
	1150mm	FAM-BD8GSDPI(E)-L	2500×1150×1210	-1~5
luxury side panel	---	FAM-BDGAEL/AER	---	---
common side panel	coated trims	FAM-BDGEL-A/ER-A	---	---
	stainless-steel trims	FAM-BDGEL/ER	---	---

Height Depth	1210mm	FAM-BD6GSDNPI(E)-L	1875×1000×1210	-1~5
	1000mm	FAM-BD8GSDNPI(E)-L	2500×1000×1210	-1~5
common side panel	coated trims	FAM-BDGELN-A/ERN-A	---	---
	stainless-steel trims	FAM-BDGELN/ERN	---	---













FAM-IE

Serve over showcase


Fish and Meat

- ◎ Appearance : With front straight glass, simple and graceful
- ◎ Straight case can be connected with 90°inter / outer corner case or 135°inter / outer corner case
- ◎ Connect free according the layout of supermarket, such as curved corner、half round transition
- ◎ Achieve multiple connecting styles
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ With kick plate as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F



【FAM-IE Serve over showcase】


Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 857mm Depth 1055mm		FAM-IE6(E)	1875×1055×857	-1~5
		FAM-IE8(E)	2500×1055×857	-1~5
		FAM-IE2(E)	3750×1055×857	-1~5
		FAM-IELO(E)	90°Outer corner	5~10
		FAM-IELOC(E)	90° Curved Outer corner	5~10
		FAM-IELI(E)	90°Inner corner	5~10
		FAM-IELOCS(E)	90° Curved Outer corner	5~10
		FAM-IELICS(E)	90° Curved Inner corner	5~10
		FAM-IEVICS(E)	135° Curved Outer corner	5~10
		FAM-IEVOCS(E)	135° Curved Inner corner	5~10
common side panel	stainless-steel trims	FAM-IEEL/ER	— —	— —




135° Outer corner




135° Inner corner



90°right angle corner case



90° Inner corner




90° Outer corner




FAM-IE Serve over showcase

Fish and Meat




- ◎ Appearance : With front straight glass, simple and graceful
- ◎ Kinds of door styles :
 - flip up door style : clear view without obstacle of sight, highlight goods display
 - sliding door style : Take no more space while opening the door, easy for replenishment and clean
 - swing door style : door of curved case can be opened, easy for replenishment and clean
- ◎ Straight case can be connected with 90°inter / outer corner case or 135°inter / outer corner case
- ◎ Connect free according the layout of supermarket, such as curved corner, half round transition
- ◎ Achieve multiple connecting styles
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ With kick plate as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F


FAM-IE6G series



FAM-IE6GSD series



FAM-IE6GPD series



【FAM-IE Serve over showcase】

Product series		Model No.	Dimension (mm)	Temp Range (°C)
Flip Up Door Style Height 1200mm Depth 1055mm		FAM-IE6G(E)	1875×1055×1200	-1~5
		FAM-IE8G(E)	2500×1055×1200	-1~5
		FAM-IE2G(E)	3750×1055×1200	-1~5
		FAM-IELOCG(E)	90° Curved Outer corner	5~10
		FAM-IELOCSG(E)	90° Curved Outer corner (fixed door)	5~10
		FAM-IELICSG(E)	90° Curved Inner corner (fixed door)	5~10
		FAM-IEVOCSG(E)	135° Curved Outer corner (fixed door)	5~10
		FAM-IEVICSG(E)	135° Curved Inner corner (fixed door)	5~10
common side panel	stainless-steel trims	FAM-IEGEL/ER	— —	— —

Sliding Door Style Height 1200mm Depth 1055mm		FAM-IE6GSD(E)	1875×1055×1200	-1~5
		FAM-IE8GSD(E)	2500×1055×1200	-1~5
		FAM-IE2GSD(E)	3750×1055×1200	-1~5
		FAM-IELOGSD(E)	90° Outer corner	5~10
common side panel	stainless-steel trims	FAM-IEGAEL/AER	— —	— —

Swing Door Style Height 1200mm Depth 1055mm		FAM-IE6GPD(E)	1875×1055×1200	-1~5
		FAM-IE8GPD(E)	2500×1055×1200	-1~5
		FAM-IE2GPD(E)	3750×1055×1200	-1~5
		FAM-IELOCSPD(E)	90° Curved Outer corner	5~10
		FAM-IELOCSGPD(E)	90° Curved Outer corner	5~10
		FAM-IELICSGPD(E)	90° Curved Inner corner	5~10
		FAM-IEVOCSGPD(E)	135° Curved Outer corner	5~10
		FAM-IEVICSGPD(E)	135° Curved Inner corner	5~10
common side panel	stainless-steel trims	FAM-IEGPDEL/ER	— —	— —






FAM-IE ice showcase

Fish and Meat

- ◎ Appearance : With front straight glass, simple and graceful
- ◎ Direct cooling ice showcase : cooperate with ice to display the fish and meat, avoid water loss, increase freshness
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ With kick plate as standard style
- ◎ Refrigerant : R22、R404A、R744、R407F



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 857mm Depth 1055mm		FAM-IE6I(E)	1875×1055×857	0~4
		FAM-IE8I-T(E)	2500×1055×857	0~4
		FAM-IE2I(E)	3750×1055×857	0~4
		FAM-IELOCI(E)	90° Curved Outer corner	0~4
common side panel	stainless-steel trims	FAM-IEELI/ERI	— —	— —
solid side panel	stainless-steel trims	FAM-IEWEL/ERI	— —	— —




FAM-IE hot showcase


Cooked food and processed goods

- Water-heat type and dry-heat type can be chosen according the food displayed
- With front straight glass, simple and graceful
- Stainless-steel, impact-resistant working area that will not deform
- With kick plate as standard style

FAM-IE6GHD series



FAM-IE6GHDSD series



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Water-Heat Type Flip Up Door Style Height 1200mm Depth 1055mm		FAM-IE6GHW(E)	1875×1055×1200	60~65
		FAM-IE8GHW(E)	2500×1055×1200	60~65
		FAM-IE2GHW(E)	3750×1055×1200	60~65
		FAM-IELOCGHW(E)	90° Curved Outer corner	60~65
common side panel	stainless-steel trims	FAM-IEGEL/ER	--	--

Dry-Heat Type Flip Up Door Style Height 1200mm Depth 1055mm		FAM-IE6GHD(E)	1875×1055×1200	60~65
		FAM-IE8GHD(E)	2500×1055×1200	60~65
		FAM-IE2GHD(E)	3750×1055×1200	60~65
		FAM-IELOCGHD(E)	90° Curved Outer corner	60~65
common side panel	stainless-steel trims	FAM-IEGEL/ER	--	--

Water-Heat Type Sliding Door Style Height 1200mm Depth 1055mm		FAM-IE6GHWS(D)(E)	1875×1055×1200	60~65
		FAM-IE8GHWS(D)(E)	2500×1055×1200	60~65
		FAM-IE2GHWS(D)(E)	3750×1055×1200	60~65
common side panel	stainless-steel trims	FAM-IEGAEL/AER	--	--




Dry-Heat Type Sliding Door Style Height 1200mm Depth 1055mm		FAM-IE6GHDSD(E)	1875×1055×1200	60~65
		FAM-IE8GHDSD(E)	2500×1055×1200	60~65
		FAM-IE2GHDSD(E)	3750×1055×1200	60~65
common side panel	stainless-steel trims	FAM-IEGAEL/AER	--	--



FAM-IE Serve over plug-in showcase

Fish and Meat

- ◎ Appearance : With front straight glass, simple and graceful
- ◎ Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- ◎ No need extra space for compressor unit, suit for small shop
- ◎ Stainless-steel, impact-resistant working area that will not deform
- ◎ Bottom foam : process by professional mold, Integrated molding, sturdy and durable, avoid cooling leak
- ◎ Refrigerant : R22、R404A、R744、R407F



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height	857mm	FAM-IE6PI(E)	1875×1055×857	-1~5
Depth	1080mm			
common side panel	stainless-steel trims	FAM-IEEL/ER	— —	— —

Height	1200mm	FAM-IE6GPI(E)	1875×1055×1200	-1~5
Depth	1055mm			
common side panel	stainless-steel trims	FAM-IEGEL/ER	— —	— —


Height	1200mm	FAM-IE6GSDPI(E)	1875×1055×1200	-1~5
		FAM-IE8GSDPI(E)	2500×1055×1200	-1~5
common side panel	stainless-steel trims	FAM-IEGAEL/AER	— —	— —

SCR Island freezer plug-in showcase


Frozen food



- With hot fluorin defrosting, efficient and energy-saving
- Kinds of combined modes, make the layout of supermarket flexibly, suit for renovation and upgrade of shop
- Plug-in unit, plug and play, saving time of project, adjust the showcase conveniently
- no need reserve the drain port, easy for project and moving
- Interior dividing truss as standard, convenient for using
- Up-down sliding door, there will be no interference when the customers are in same side
- Refrigerant : R290



Product series	Model No.	Dimension (mm)	Temp Range (℃)
Fixed Frequency Up-down Sliding Door Height 890mm Depth 856mm	SCR-128LVSDVCBW(E)	1205×856×890	-18 ~ -22
	SCR-158LVSDVCBW(E)	1505×856×890	-18 ~ -22
	SCR-188LVSDVCBW(E)	1805×856×890	-18 ~ -22
	SCR-218LVSDVCBW(E)	2105×856×890	-18 ~ -22
	SCR-258LVSDVCBW(E)	2505×856×890	-18 ~ -22
	SCR-188ULVSDVCBW(E)	1850×856×820	-18 ~ -22




LDG Island freezer plug-in showcase (Large Window)

Frozen food

- ◎ Super large front glass window, goods can be displayed behind the glass, make clearer view
- ◎ Reduce the size of frame and corner part, highlight goods display
- ◎ Simple handle without obstacle of sigh, open and close the door comfortably
- ◎ Front hollow glass make sure the temperature stabilized
- ◎ Refrigerant : R290

LDG Large Window showcase



Product series	Model No.	Dimension (mm)	Temp Range (°C)
Fixed Frequency Up-down Sliding Door Height 890mm Depth 867mm	LDG-128VSDWH(E)	1205×867×890	-18 ~ -22
	LDG-158VSDWH(E)	1505×867×890	-18 ~ -22
	LDG-188VSDWH(E)	1805×867×890	-18 ~ -22
	LDG-218VSDWH(E)	2105×867×890	-18 ~ -22
	LDG-258VSDWH(E)	2505×867×890	-18 ~ -22
	LDG-188UVSDWH(E)	1853×867×890	-18 ~ -22
	LDG-188UWH(E)	1853×869×890	-18 ~ -22




FPW-V

Multi-deck showcase

Dairy product & Daily <Fresh>

- With the sturdier shelf and deck pan, meet the demands of Warehouse Member Store, keep large goods
- Exterior is coated steel, all interior is Stainless-steel, sturdy and durable, easy for clean
- Tow tiers shelves as standard style, leave more space for storage of large goods
- Double air curtain, efficient and energy-saving
- Refrigerant : R22、R404A、R744、R407F



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height	2100mm	FPW-V1164(E)	1875×1200×2100	-2~2
Depth	1200mm	FPW-V1184(E)	2500×1200×2100	-2~2
Handrail Height	450mm	FPW-V1124(E)	3750×1200×2100	-2~2
--	soild side panel	ME-V114L/R	--	--
--	soild side panel with socket	ME-V114L/R-D	--	--




CZM-V

Island refrigerator/ freezer showcase


Meat and fish/Frozen food

- ⊙ Exterior is coated steel, all interior is Stainless-steel, sturdy and durable, easy for clean
- ⊙ Larger showcase size, meet the demands of Warehouse Member Store, keep large goods
- ⊙ The temperature can be adjusted according goods displayed by chiller and freezer dual temperature changing
- ⊙ Refrigerant : R22、R404A、R744、R407F

CZM-V169-A series



CZM-V369-A series



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1000mm Depth 1170mm		CZM- V161(E)	1875×1170×1000	-1~-5/-18~-22 Dual temperature
		CZM- V181(E)	2500×1170×1000	-1~-5/-18~-22 Dual temperature
		CZM- V121(E)	3750×1170×1000	-1~-5/-18~-22 Dual temperature
--	soild side panel	CZM-V11EL/R	--	--
--	soild side panel with socket	CZM-V11EL-D/R-D	--	--
--	square soild side panel (end case join)	CZM-V11EL-Z/R-Z	--	--

Height 1000mm Depth 1300mm		CZM- V361(E)	1875×1300×1000	-1~-5/-18~-22 Dual temperature
		CZM- V381(E)	2500×1300×1000	-1~-5/-18~-22 Dual temperature
		CZM- V321(E)	3750×1300×1000	-1~-5/-18~-22 Dual temperature
--	soild side panel	CZM-V31EL/R	--	--
--	soild side panel with socket	CZM-V31EL-D/R-D	--	--
--	square soild side panel (end case join)	CZM-V31EL-Z/R-Z	--	--




CZM-V

Island refrigerator/
freezer plug-in showcase


Meat and fish/Frozen food

- ◎ The temperature can be adjusted according goods displayed by chiller and freezer dual temperature changing
- ◎ Plug-in unit, plug and play, make the layout of supermarket more flexibly
- ◎ All interior is Stainless-steel, sturdy and durable, easy for clean
- ◎ There are two optional styles for exterior : coating steel (1300mm width) / Stainless-steel (1170mm width)
- ◎ Refrigerant : R404A

CZM-V169PID-A series












CZM-V369PID-A series



Product series		Model No.	Dimension (mm)	Temp Range (°C)
Height 1100mm Depth 1170mm		CZM-V161PID(E)	1875×1170×1130	-1~-5/-18~-22 Dual temperature
		CZM-V181PID(E)	2500×1170×1130	-1~-5/-18~-22 Dual temperature
--	soild side panel	CZM-V11PIEL/R	--	--
--	soild side panel with socket	CZM-V11PIEL-D/R-D	--	--
--	square soild side panel (end case join)	CZM-V11PIEL-Z/R-Z	--	--

Height 1100mm Depth 1300mm		CZM-V361PID(E)	1875×1300×1130	-1~-5/-18~-22 Dual temperature
		CZM-V381PID(E)	2500×1300×1130	-1~-5/-18~-22 Dual temperature
--	soild side panel	CZM-V31PIEL/R	--	--
--	soild side panel with socket	CZM-V31PIEL-D/R-D	--	--
--	square soild side panel (end case join)	CZM-V31PIEL-Z/R-Z	--	--





FRIGOESPACIOS®

 **(+52) 55 7901 5824**

 **Iceballos@frigoespacios.com**

F R I G O E S P A C I O S . C O M